#### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



## Reserve 1,96 R31Fsn WATER SUPPLY OUTLOOK FOR NEVADA



#### U. S. DEPARTMENT of AGRICULTURE \* SOIL CONSERVATION SERVICE

Collaborating with

NEVADA DEPARTMENT of CONSERVATION and NATURAL RESOURCES DIVISION of WATER RESOURCES

Data included in this report were obtained by the agencies named above in cooperation with Federal, State and private organizations listed inside the back cover of this report.



#### TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

COVER PHOTO: SNOW COURSE MEASUREMENTS BY A SURVEY TEAM IN UTAH'S WASATCH RANGE.

#### PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 510, 511 N.W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	Room 129, 2221 East Northern Lights Blvd., Anchorage, Alaska 99504
Arizona	Room 3008, 6029 Federal Building, Phoenix, Arizona 85025
Colorado (N. Mex.)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th. St., Boise, Idaho 83702
Montana	P.O. Box 98, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno Nevada 89505
Oregon	1220 S.W. Third Ave., Portland, Oregon 97204
Utah	4012 Federal Bldg., 125 South State St., Salt Lake City, Utah 84138
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82602

#### PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Forests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia

#### WATER SUPPLY OUTLOOK

### IMPORTANT NOTICE REVISION OF FREE MAILING LIST

IF YOU WISH TO CONTINUE to receive this publication, please turn to the back page, read the instructions, ---TEAR OFF THE BACK COVER of this bulletin, sign your name, fold it on the heavy line, staple or tape, and ---MAIL IMMEDIATELY.

IF THE BACK COVER IS NOT RETURNED WITHIN 30 DAYS, YOUR NAME WILL BE REMOVED FROM OUR LIST.

THIS NOTICE IS REQUIRED BY THE CONGRESSIONAL JOINT COMMITTEE ON PRINTING FOR THE ANNUAL REVISION OF FREE MAILING LISTS.

Please make any address corrections before mailing.



## WATER SUPPLY OUTLOOK FOR NEVADA

and
FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

R. M. DAVIS

ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON, D.C.

Released by

#### GERALD THOLA

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE RENO, NEVADA

In Cooperation with

#### NORMAN S. HALL

DIRECTOR
DEPARTMENT OF CONSERVATION AND
NATURAL RESOURCES
CARSON CITY, NEVADA

Report prepared by

RONALD E. MORELAND, Snow Survey Supervisor and

JAMES K. MARRON, Assistant Snow Survey Supervisor SOIL CONSERVATION SERVICE

SOIL CONSERVATION SERVICE P. O. BOX 4850 RENO, NEVADA

#### TABLE OF CONTENTS

WATER SUPPLY OUTLOOK FOR NEVADA	1, 2
PROSPECTIVE WATER SUPPLY FOR NEVADA (Map)	3
INDEX OF NEVADA SNOW COURSES (By Basins)	4
SNOW WATER DEPTHS (Map)	5
NEVADA STREAMFLOW FORECASTS	6, 7
SPECIAL FORECASTS AND SOIL MOISTURE MEASUREMENTS	8
STORAGE STATUS OF NEVADA RESERVOIRS	9
SNOW COURSE MEASUREMENTS	10, 11
PRECIPITATION MEASUREMENTS	12
TELEMETERED SNOW DATA	13, 14
LIST OF COOPERATORS	
ALL AVERAGES ARE FOR 1958-72 PERIOD.	

#### WATER SUPPLY OUTLOOK FOR NEVADA

Snow surveys taken for May 1 indicate very little snow in the Sierras and most areas in Nevada. Of the 64 snow courses scheduled for readings only 24 had measureable snow. All courses had less than 20 percent of average snow water while most were below 10 percent.

This year's snowpack has been one of the poorest since snow survey records began in 1910.

Streamflow forecasts show minimum flows on all streams. Streamflow measurements for April denote many have probably reached their peak. This is 4 to 6 weeks earlier than in a near normal year. Water diversions are being made to only those with greatest seniority water rights.

Water storage in seven major reservoirs represents only 55 percent of average. Lake Tahoe contains 123,000 acre-feet equaling 26 percent of the 1958-72 average.

#### East Slope Sierra Nevada

May I snowpack is practically non-existent. The length of record for May I measurements is short for most snow courses. However, these three snow courses exemplify the situation:

#### Snow Water Content (Inches)

Snow Course	This Year	Last Year	Other Low Years
Donner Summit (Truckee River)	0.0	8.8	1931 = 0.0 1934 = 0.0 1939 = 0.0 1951 = 0.0 1959 = 0.0
Furnace Flat (Yuba River)	7.9	17.8	1924 = 10.1 1934 = 25.3 1959 = 0.0
Fordyce Lake (Yuba River)	2.7	10.8	1924 = 7.7 1931 = 0.0 1939 = 0.0 1947 = 0.0 1959 = 0.0

Three snow courses not having May 1 readings, but with a long record for April 1 measurements further illustrate the worst snowpack since records began.

Center Mountain (Walker River)	9.8	16.6	1924 = 17.5 1931 = 15.0 1934 = 19.3
Lake Lucille (Tahoe Basin)	20.5	29.8	1924 = 28.5 1934 = 30.9
Webber Lake (Truckee River)	13.2	22.4	1924 = 20.2 1934 = 21.8 1963 = 20.5

Streamflow forecasts for the May 1 - July 31 period are below 25 percent of average on the Sierra streams. Most will be a minimum record if they occur.

Reservoir storage in six major reservoirs is only 45 percent of average and 44 percent of last year. Lake Tahoe contains 123,000 acrefeet or 26 percent of average, while Lahontan contains 174,000 acrefeet of 79 percent average. Bridgeport and Topaz contain 12,000 and 13,000 acrefeet respectively, which is much below last year's combined total of 71,00 acrefeet.

#### Humboldt and Owyhee Drainages

Measurements in these drainages indicate snow only at a few high elevation snow courses. Lamoille #5 water content was only 20 percent of average while Jacks Peak and Bear Creek Meadows had 40 percent.

Streamflow forecasts are slightly below last month's and most streams appear to have reached their peak flows the month.

Rye Patch Reservoir contains 105,000 acre-feet compared to an average 107,000 acre-feet and last year's 163,000 acre-feet. Wildhorse Reservoir contains 49,000 acre-feet as compared to last year's 69,000 acre-feet. Releases for Wildhorse were started on April 26.

#### Eastern Nevada

Only the Berry Creek snow course was read in this area. Snow water content was 5.3 inches compared to an average 15.4 inches, only 34 percent of average. Most all other areas are void of snow.

#### Northern Great Basin

Cedar Pass was the only snow course checked this month and it was void of snow. Streamflow forecasts in the Surprise Valley are slightly lower than last month's.

#### PROSPECTIVE WATER SUPPLY FOR NEVADA 16 15 13 17 20 19 18 G н o Е G 0 N Đ 50H3 50H3 15H14 15H13 15H15 H 20H7 15114 - 15113 Ξ K 917K1 917K2 14L3 14L1 L 19112 19122 19113 19 M I . 18M4 🔑 p LEGEND MUCH ABOVE AVERAGE WATER SUPPLY ABOVE AVERAGE WATER SUPPLY NEAR AVERAGE WATER SUPPLY BELOW AVERAGE WATER SUPPLY P MUCH BELOW AVERAGE WATER SUPPLY -3-

USGS National Atlas 1-1,000,000 Albers Equal-Area projection (1967) used as source for base map and adapted for SCS use.

#### INDEX TO NEVADA SNOW COURSES (By Basins)

Refer to the map on the preceeding page for Snow Course locations.

		Refer	to t	ne map or	the	precee	eaing p	age for	r Snow	Course	locations.				
NUM8ER	NAME SNAKE RIVER	SEC. T		GE. ELEV.			1			NUMBER LAKE	NAME TAHOE	SEC.	TWP.	RGE.	ELEV.
SNA	KE RIVER	57131								20L6STZ	Echo Peak	35	12N	17E	7800
15H1MA 15H2 15H13A 15H15A 15H2Oa 15H14A 15H18a 15H3A 15H19a	Bear Creek Fox Creek Goat Creek Hummingbird Springs Merritt Mountain Pole Creek Ranger Station Red Point 76 Creek Stag Mountain	33 4 31 4 6 4 10 4 13 4 15 4 6 4	6N 5 6N 6 5N 6 6N 5 6N 5 7N 6	8E 7800 8E 6800 0E 8800 0E 8945 4E 7000 9E 8330 1E 7940 8E 7100 8E 7800						20L5 20L7stz 19L2 19K6 19L3MSZ 20L4 19K4MSTZ 20L3 20L1	Echo Summit (Cal.) Frallen Leaf (Cal.) Freel Bench (Cal.) Glenbrook #2 Hagans Meadow (Cal.) Lake Lucille (Cal.) Marlette Lake Richardsons #2 (Cal.) Rubicon #1 (Cal.) Rubicon #2 (Cal.)	6 36 36 13 36 28 18 6 6	11N 13N 12N 14N 12N 12N 15N 12N 13N	18E 17E 18E 18E 17E 19E 18E 17E 17E	7450 6300 7300 6900 8000 8200 8000 6500 8100 7500
OWY	HEE RIVER									20 K16 20 K26	Tahoe City (Cal.) Tahoe City Alt. (Cal.)	6 7	15N 15N	17E 17E	6250 6300
15H4MP 16H6a 16H8a 15H5 16H1M 16H2A 16H4 16H5 17G4a	8ig Bend Columbia Basin Fawn Creek Gold Creek Jack Creek, Lower Jack Creek, Upper Jacks Peak Laurel Oraw Louse Canyon (Oreg.)	31 4 2 4 32 4 18 4 9 4 28 4 20 4	4N 5 5N 5 5N 5 2N 5 2N 5 2N 5 2N 5	6E 6700 3E 6650 2E 7000 6E 6600 3E 6800 3E 7250 3E 8420 3E 6700 4E 6440						20K14	Tahoe City Cross (Cal.) Upper Truckee (Cal.) Ward Creek (Cal.) Ward Creek #2 (Cal.)  KEE RIVER Boca #2 (Cal.)	1 21 21 21 21	15N 12N 15N 15N	16E 18E 16E 16E	6750 6400 7000 6750
15H9MP	Taylor Canyon			3E 6200						20K22 20K21 20K10	Brockway Summit (Cal.) Oonner Park #2 (Cal.) Oonner Summit (Cal.)	18 25	17N 17N	16E 16E	7100 6000
1100	INTERIO	R								20K7* 20K8*	Fordyce Lake (Cal.) Furnace Flat (Cal.)	25 34 10	17N 18N 17N	14E 13E 13E	6900 6500 6700
15J17a 15J12A 15J1MP 15J3 15H7 15J9MP 15J10 15J11 15J4 15J5	American Beauty Corral Canyon Oorsey Basin Ory Creek Fry Canyon Green Mountain Harrison Pass #1 Harrison Pass #2 Lamoille #1 Lamoille #2	27 2 28 3 5 3 31 4 23 2 9 2 16 2 15 3 14 3	8N 5 5N 6 4N 6 3N 5 9N 5 8N 5 8N 5 2N 5	8E 7800 7E 8500 0E 8100 0E 6500 4E 6700 7E 8000 7E 6600 7E 7400 8E 7100 8E 7200						20K4MSTPZ 20K3 20K5 19K3 19K2 19K7 20K6 20K19 20K13M 20K2* 20K1*	Independence Camp (Cal.) Independence Creek (Cal.) Independence Lake (Cal.) Little Valley Mt. Rose Mt. Rose Ski Area Sage Hen Creek (Cal.) Squaw Valley #2 (Cal.) Truckee #2 (Cal.) Webber Lake (Cal.) Webber Peak (Cal.)	34	19N 19N 18N 16N 17N 17N 18N 15N 17N 19N	15E 15E 15E 19E 19E 16E 16E 16E 14E	7000 6500 8450 6300 9000 9000 6500 7500 6400 7000 8000
15J6M 15J7	Lamoille #3 Lamoille #4	19 3	2N 5	8E 7700 9E 8000						CARS	ON RIVER				
15J8P 15J18a 15J16a 15H6MP 15J2 15H8 15H10P 15H11A	Lamoille #5 Pole Canyon Robinson Lake Roded Flat Ryan Ranch Tremewan Ranch Trout Creek, Lower Trout Creek, Upper	31 3 23 3 36 4 1 3 9 3 28 3	5N 6 3N 5 3N 5 4N 5 9N 5	9E 8700 1E 9140 9E 9200 3E 6800 9E 5800 5E 5700 1E 6900 1E 8500						19L5 19L4 19K5 19L19a 19L16a 19L06a 19L18A5	81ue Lakes (Cal.) Carson Pass, Upper (Cal. Clear Creek Ebbetts Pass (Cal.) Fish Valley, Upper (Cal. Poison Filat (Cal.) Wet Meadows Lake (Cal.) Wolf Creek (Cal.)	6 17	9N 10N 14N 8N 7N 8N 9N 8N	19E 18E 19E 20E 22E 21E 19E 20E	8000 8600 7300 8700 8050 7900 8100 8000
LOW	ER HUMBOLDT RIVER									7.200	norr creek (car, )	55	OIN	200	0000
17K1 17K2 17K3 17H2 17H1 17L1 17L2 17H4 17H5 17H3 16H3AP 16H7	8ig Creek Camp Ground 8ig Creek, Upper 8uckskin, Lower 8uckskin, Upper Corral, Lower Corral, Lower Golconda #2 Granite Peak Lamance Creek Martin Creek Midas Toe Jam a	23 1 26 1 25 4 11 4 12 1 20 1 22 3 22 3 13 4 18 4 18 3	7N 4 7N 4 5N 3 5N 3 1N 4 1N 4 5N 3 4N 3 2N 3 4N 4 9N 4	3E 6600 3E 7600 3E 7800 9E 6700 9E 8200 0E 7500 0E 7500 0E 7800 9E 6000 9E 7800 0E 6700 0E 7700						WALKI 19110 19112A 1918 1917a 19177 1917 19113 19113 19122M5Z	ER RIVER  Suckeye Forks (Cal.)  Suckeye Roughs (Cal.)  Center Mountain (Cal.)  Leavitt Meadows (Cal.)  Lobdell Lake (Cal.)  Sonora Pass (Cal.)  Tioga Pass (Cal.)  Virginia Lakes (Cal.)  Virginia Lakes Ridge  Willow Flat (Cal.)	20 15 4 4 20 1 30 5 32 21	4N 4N 3N 5N 7N 5N 1 N 2N 3N 5N	23E 23E 23E 22E 24E 21E 25E 25E 25E 23E	8500 7900 9400 7200 9200 8800 9900 9500 9200 8250
EAS	TERN NEVADA										COLORA	00			
14L1 14L2	8aker #1 8aker #2	30 1	3N 6	9E 7950 9E 8950							R COLORAGO RIVER				
14L3 14K2 14K1 15J13 15J14 15J15 14K8 14K3 15K1 14K7 14K7	8aker #3 8erry Creek Bird Creek Cave Creek Hager Canvon Hoie-In-Mountain Kalamazoo Creek Murray Summit Robinson Summit Silver Creek #2 Ward Mountain #2	26 1 34 1 25 2 34 2 6 3 34 2 25 1 34 1; 30 1;	7N 6 9N 6 7N 5 7N 5 5N 6 0N 6 8N 6 6N 6	8E 9250 5E 9100 5E 7500 7E 7500 7E 8000 1E 7900 5E 7400 2E 7250 1E 7600 9E 8000 2E 8900						15N5 15N3 15N8 14M1 14M2 15N7 15L1	Kyle Canyon #2 Lee Canyon #2 Lee Canyon #3 Mathew Canyon Pine Canyon Rainbow Canyon #2 White River #1	27 g 10 10 23 6 31	195 195 195 65 6S 205 13N	56E 56E 56E 70E 69E 57E 59E	8200 9200 8500 6000 6200 8100 7400
CEN	TRAL GREAT BASIN														
18M2 18M5a 15N2 18M1 18M3a 18M4a 15N1	Campito Mountain (Cal.) Chiatovich Flat Clark Canyon Montgomery Pass Pinchot Creek Piute Pass (Cal.) Trough Springs	32 8 1 4 28 33	25 3 95 5 1N 3 1N 3 4S 3	5E 10200 4E 10500 6E 9000 3E 7100 3E 9300 3E 11700 5E 8500							LEGEND				
NOR	THERN GREAT BASIN										NUMBERING SYSTEM (E	(AMPLE)			
19H1 20H5 20H6 18G6a 18H1 20H3a 20H7 19H3 19H2 19H4a 20H9 17G5a 17H6a	Bald Mountain 8arber Creek (Cal.) Cedar Pass (Cal.) Oenio Creek (Oreg.) Oisaster Peak Oismal Swamp (Cal.) Eagle Peak (Cal.) 49-Mountain Hays Canyon Little Bally Mountain Mt. Bidwell Oregon Canyon (Oreg.) Quinn Ridge	23 3 12 4 14 4 8 4 31 4 35 4 7 4 1 35 4 6 4 9 4	9N 11 3N 14 1S 3 7N 3 8N 1 0N 1 2N 14 5N 14 7N 16 0S 44	1E 6720 6E 6500 4E 7100 4E 6000 4E 6500 7E 7000 5E 7200 9E 6000 9E 6000 9E 6000 9E 7200 0E 7240 1E 6300						19K4S Sn 19K4M Sn 19K4A Sn 19K4P Sn 19K4MA Sn 19K4MP Sn 19K4STZ Sn Te Lower case only a Soil	ou Course Only  Out Course and Snow Pillow  Out Course and Soil Moistu  ou Course and Aerial Mark  ou Course and Aerial Mark  ou Course, Soil Moisture o  ou Course, Soil Moisture o  ou Course, Snow Pillow and  lemetered.  Letters m, a, p, s, t, 2,  Moisture Station, Aerial,  Snow Pillow, Temperatur,  Snow Pillow, Temperatur	er ripitat: md Aer: md Pred I Tempe: indica: Marker,	tal Mar ripitat rature te no s Store	rker ion Ga Radio now co ige Pre	urse, cipi-
20H4 18G5a	Reservation Creek (Cal.) Trout Creek (Oreg.)	12 4	6N 1	5E 5900 8E 7800			1				on adjacent watershed				

### **SNOW WATER DEPTHS** 20 17 19 15 14 Н K SNOW WATER DEPTHS As percent of 1958-72 15 year average LEGEND Less than 80 percent of average Within 20 percent of average More than 20 percent above average -5-

Forecasts are based on snaw-water presently stored in the mauntain watersheds and the assumption that precipitation will be near average throughout the farecast period. Peak flow farecasts indicate the mast probable range far the maximum average 24-hour flow. All averages are far 1958-72 period.

FORECAST POINT	Forecast Period	Forecast This Year	This Year as Percent of Average	Average +
TRUCKEE RIVER				
Little Truckee River above Boca, CA	May-July	7	11	65
Truckee River at Farad, CA <sup>1</sup>	May-July	25	13	199
Lake Tahoe Rise in Feet (from May 1, assuming gates closed)	May-High	0	0	1.09
CARSON RIVER				
East Carson near Gardnerville, NV	May-July	28	19	150
West Carson at Woodfords, CA	May-July	8	20	41
Carson River near Carson City, NV	May-July	10	7	146
Carson River at Fort Churchill, NV	May-July	6	5	131
WALKER RIVER				
East Walker near Bridgeport, CA <sup>1</sup>	May-Aug.	4	7	59
West Walker below Little Walker near Coleville, CA	May-July	32	25	129
HUMBOLDT RIVER				
Lamoille Creek near Lamoille, NV	May-July	5	19	26
South Fork Humboldt near Elko, NV	May-July	12	21	57
Marys River above Hot Springs, NV	May-July	3	13	24
North Fork Humboldt at Devils Gate, NV	May-July	2	10	20
Humboldt River at Palisade, NV	May-July	10	7	149
Humboldt River at Comus, NV	May-July	6	5	113
Martin Creek near Paradise, NV	May-July	1	10	10

tion wil

Lverage †

99

1.0

FORECAST POINT	Forecast Period	Forecast This Year	This Year as Percent of Average	Average
SNAKE RIVER				
Owyhee River near Owyhee, NV	May-July	6	15	41
Owyhee River near Gold Creek NV <sup>1</sup>	May-July	1	13	8
Salmon Falls Creek near San Jacinto, NV	May-July May-Sept.	11 12	22 22	50 54
SURPRISE VALLEY				
Bidwell Creek near Ft. Bidwell, CA	May-July	2.2	25	9.0
Mill Creek near Cedarville, CA	May-July	1.0	29	3.5
Deep Creek near Cedarville, CA	May-July	0.6	28	2.2
Eagle Creek near Eagleville, CA	May-July	1.4	36	3.8
COLORADO RIVER			)	
Virgin River at Virgin, UT	May-June	9	33	28
Virgin River at Littlefield, AZ	May-June	7	28	25
	į.		et .	
Corrected for storage				

FADECAST DOWN	PEAK FLOW (SECOND FEET)				
FORECAST POINT	Forecast Range	Average +			
East Fork Carson River near Gardnerville	400 - 600	1728			
Carson River near Carson City, NV Carson River at Fort Churchill, NV West Walker River below Little Walker near Coleville, CA	200 - 400 100 - 300 500 - 700	1901 1730 1532			

#### FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
East Carson River near Gardnerville, NV	200	5/21	7/20

#### SOIL MOISTURE MEASUREMENTS

	Profile	(Inches)	Sc	il Moisture (Inche	s)
STATION	Depth	Capacity	Date	This Year	Average +
TAHOE-TRUCKEE BASIN					
Independence Camp	34	6.1	4/26/77	2.7	4.6
Marlette Lake	50	3.7	NS		2.9
			i de		
WALKER BASIN					
Sonora Pass	48	8.3	NS		7.5
Virginia Lakes Ridge	40	5.0	4/26/77	2.6	2.1
*Adjusted Average					
				4	

RESERVOIR STORAGE (Thousand Acre Feet) os of May 1, 1977

		Usable		Usable Storage	
Basin or Stream	RESERVOIR	Capacity	This Year	Last Year	Averaget
Owyhee	Wild Horse	72	49	69	30
Lower Humboldt	Rye Patch	172	105	163	107
Colorado	Mohave	1,810	1,755	1,656	1,693
Colorado	Mead	26,159	20,620	20,099	16,943
Tahoe	Tahoe	732	123	471	480
Truckee	Boca	41	34	32	27
Truckee	Prosser**	30	3	10	8*
Truckee	Stamped <b>e</b>	220	36	124	***
Carson	Lahontan	291	174	221	219
West Walker	Topaz	59	13	47	40
East Walker	Bridgeport	42	12	36	31
* Adjusted average  ** Flood control use allocation of 20,000 acre feet between November 1 and April 10.  *** Storage began August 1, 1969.					

#### TOTAL RESERVOIR STORAGE (Thousand Acre Feet)

MONTH	This Year '	Last Year	Average +
October 1	574	1037	718
January 1	488	1005	714
February 1	509	1015	782
March 1	545	1048	843
April 1	550	1048	893
May 1	510	1037	934

+ 1958-1972 period.

The above doto developed from Wild Horse, Rye Patch, Tohoe, Boco, Lahontan, Topaz, and Bridgeport Reservoirs in 1,000 Acre-Feet.

0
S
2
0
2
7
1
- 1
7
Σ

10W COURSE MEASUREMENTS	-{	THIS YEAR			PAST RECORD		
. DRAINAGE BASIN and/or SNOW COURSE NAME	Elevation	Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Conti	Average	
	Crevation					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
LAKE TAHOE							
Echo Peak (CA) Echo Summit (CA) Freel Bench (CA) Hagans Meadow (CA) Heavenly Valley Marlette Lake Upper Truckee (CA) Ward Creek #2 (CA)	7800 7450 7300 8000 8800 8000 6400 7000 6750	4/26/77 4/29/77 4/26/77 4/26/77 4/26/77 4/26/77 4/26/77 4/26/77	0 0 0 0 0 0 7	0.0 0.0 0.0 0.0 0.0 0.0 0.0 3.2 3.5	1.3 5.3 0.0 0.0 9.2 4.7 0.0 11.3 14.9	24.2 6.3 12.4 21.6 40.1	
TRUCKEE RIVER							
Donner Summit (CA) Fordyce Lake (CA) Furnace Flat (CA) Independence Camp (CA) Independence Creek (CA) Independence Lake (CA) Mount Rose Mount Rose Ski Area Squaw Valley #2 (CA)	6900 6500 6700 7000 6500 8450 9000 8850 7500	4/20/77 4/20/77 4/20/77 4/26/77 4/26/77 4/26/77 4/26/77 4/26/77	0 6 18 0 0 22 4 14 20	0.0 2.7 7.9 0.0 0.0 9.2 2.3 5.9 8.9	8.8 10.8 17.8 2.0 0.0 22.3 14.0 17.7 23.3	30.7 36.9 43.1 18.1 7.3 47.0	
CARSON RIVER				* 1465.			
Blue Lakes (CA) Carson Pass, Upper (CA) Ebbetts Pass #2 (CA) Poison Flat (CA) Wet Meadows #2 (CA) Wolf Creek (CA) Upper Fish Valley (CA)	8000 8600 8700 7900 8050 8000 8050	4/25/77 4/26/77 4/26/77 4/26/77 4/26/77 4/26/77 4/26/77	11 0 4 0 2 0	3.3 0.0 1.4 0.0 0.6 0.0	13.6 7.2 14.0 0.0 8.8 0.0 0.0	32.3	
WALKER RIVER							
Lobdell Lake (CA) Sawmill Ridge (CA) Sonora Pass (CA) Virginia Lakes (CA) Virginia Lakes Ridge (CA) Leavitt Meadows (CA)	9200 8750 8800 9500 9200 7200	4/26/77 4/26/77 4/26/77 4/26/77 4/26/77 4/26/77	0 0 0 0 8 0	0.0 0.0 0.0 0.0 3.2 0.0		19.1 14.2	


THIS YEAR			PAST RECORD		
Snow Depth (inches) .	Water Content (inches)	Last Year	Average		
0 0 0 0 36 0	0.0 0.0 0.0 0.0 12.9 0.0	3.1 0.5 0.4 3.7 31.3 0.0	1.3 0.3 0.1 3.4 26.7 0.1		
21 14 14 4 0	8.2 5.5a 5.5a 1.6a 0.0a 0.0	26.8 24.4a 35.0a 27.4 3.6 8.1	20.1 19.7 27.7 22.6 9.1		
0 0 0 0 15 0	0.0 0.0 0.0 0.0 5.6 0.0	12.9 0.1 4.5 8.9 29.5 0.9 0.0	1.1 1.9 7.1 26.7 1.1 0.1		
	- 1				
15	5.3	-	15.4		
0	0.0	16.5	11.1		
	0	0 0.0	0 0.0 16.5		


NS

NOTE: All averages based on 1958-72, 15 year period. Forecast period is April 1 through July 31 unless otherwise noted. a-Aerial marker; water content estimated. \* 1958-72 ad-justed average.


No Survey Aerial Marker - Water Content Estimated


PRECIPITATION (Inches) May	, 1977	-					
DRAINAGE BASIN and PRECIPITATION GAGE LOCATION	ELEVATION	Date of	Month's		FROM A	PROX. OCT I	Percent of
LAKE TAHOE-TRUCKEE		Reading	Precipitation	Last Year		Last Year	Average
Echo Peak Fallen Leaf Hagans Meadow Independence Camp Independence Creek Independence Lake Marlette Lake Mount Rose Ward Creek #3	7800 6240 8000 7000 6500 8450 8000 9000 6750	4/26/77 4/28/77 NS 4/26/77 4/26/77 4/26/77 4/26/77 4/26/77	0.5 - 1.1 0.2 0.1 0.4 0.5 2.2	2.2 - 1.8 0.7 - 0.6 1.1 3.4	15.9 11.4 - 11.8 11.3 16.8 11.6 9.0 23.0	26.0 15.8 - 15.9 8.7 - 13.9 16.8 34.1	
CARSON RIVER							
Ebbetts Pass Poison Flat Wet Meadows	8750 7900 8050	4/26/77 4/26/77 4/26/77	0.5 0.7 0.7	1.6 0.7 0.1	7.3 11.8	22.2 14.0 12.2	- - -
WALKER RIVER							
Lobdell Lake Sonora Pass Virginia Lakes Ridge	9200 8800 9200	4/26/77 4/26/77 4/26/77	1.0 0.8 1.7	- 2.4 -	5.9 14.1 18.7	- 16.9 -	-
HUMBOLDT RIVER							
Corral Canyon Dorsey Basin Green Mountain Lamoille #3 Rodeo Flat Trout Creek, Lower	8500 8100 8000 7700 6800 6900	NS 4/26/77 NS 4/26/77 4/26/77 NS	1.7 - 1.5 -	5.0 - - 1.5	12.8 - 15.3 8.4	7.5 - 16.0	- - - 62 -
OWYHEE RIVER							
Big Bend Jacks Peak Taylor Canyon Upper Jack Creek	6700 8420 6200 7250	4/26/77 4/26/77 4/26/77 4/26/77	1.4 2.9 0.5 1.1	1.8	11.8 24.6 8.5 18.6	14.5 - 9.5 -	87 - 88 -
SNAKE RIVER							
76 Creek Bear Creek	7100 7800	4/26/77 4/26/77	0.4	2.2	5.9 15.0	15.4 22.4	-
EASTERN NEVADA							
Berry Creek	9100	4/25/77	1.6	-	15.1	-	-
		-1	2-				





-13-





# DETACH HERE

#### IMPORTANT NOTICE

#### WATER SUPPLY OUTLOOK FOR NEVADA

If you wish to continue to receive this publication, detach this page, sign your name in the space below, fold on the heavy line, staple or tape the folded page and mail. If more than one copy of the publication is desired, place the number in the box by your signature.

	Signe	d:	
Suggestions,	comments or remark	<s:< th=""><th></th></s:<>	

(FOLD HERE)

UNITED STATES
DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
P.O. BOX 4850
RENO. NEVADA 89505

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR-101



FIRST CLASS MAIL

SNOW SURVEY SUPERVISOR SOIL CONSERVATION SERVICE P.O. BOX 4850 RENO, NEVADA 89505

UNITED STATES DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

P.O. BOX 4850 RENO, NEVADA 89505 OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300

U.S. UITA

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF
AGRICULTURE
AGRI-101



# 

FEDERAL - STATE - PRIVATE

# **COOPERATIVE SNOW SURVEYS**

Furnishes the basic data necessary for forecasting water supply for irrigation, domestic and municipal water supply, hydro-electric power generation, navigation, mining and industry

"The Conservation of Water begins with the Snow Survey"

USDA NATIONAL AGRICULTURAL LIBRARY (2) CURRENT SERIAL RECORD BELTSVILLE, MD 20705